



KUV



Different Job • Different Needs • Right Vehicle



KUV129SUK

KUV129DLK

KUV153DLK

KUV153DHK

GMC KUV Model





	KUV129SUK	KUV129SLK	KUV129DLK	KUV129DHK	KUV153DLK	KUV153DHK	KUV153DLK	KUV153DHK	KUV181DLK	KUV181DHK
CHASSIS MODEL	TG33503 (SRW)	TG33503 (SRW)	TG33503 (DRW)	TG33503 (DRW)	TG33803 (DRW)	TG33803 (DRW)	TC4V042 (DRW)	TC4V042 (DRW)	TC5V042 (DRW)	TC5V042 (DRW)
WHEELBASE/CA (in.)	139/80	139/80	139/80	139/80	159/100	159/100	166/100	166/100	166/100	166/100
GVWR (lbs.)	9,600	9,600	12,000	12,000	12,000	12,000	17,500	17,500	19,500	19,500
CHASSIS WT. ⁽¹⁾ (lbs.)	4,539	4,539	4,640	4,640	4,873	4,873	7,640	7,640	7,826	7,826
BODY WT. ⁽²⁾ (lbs.)	2,297	2,549	2,649	2,740	3,038	3,169	3,038	3,169	3,489	3,631
TOTAL UNIT WT. ⁽³⁾ (lbs.)	6,836	7,088	7,289	7,380	7,911	8,042	10,678	10,809	11,315	11,457
PAYLOAD ⁽⁴⁾ (lbs.)	2,764	2,512	4,711	4,620	4,089	3,958	6,822	6,691	8,185	8,043
TOTAL STORAGE (cu.ft.)	335	388	425	492	506	585	506	585	604	698
BULK CARGO (opt. w/20" deep Compartment)	265	318	355(329)	422(396)	421(453)	500(468)	421(453)	500(468)	498	592(553)
COMPARTMENTS (opt. w/20" deep Compartment)	70	70	70(96)	70(96)	85(117)	85(117)	85(117)	85(117)	106	106(145)

(1) Chassis weight calculated with base gas engine (6.0L in all G models, 8.1L in C4500/C5500). Optional engines and other chassis may effect chassis weight.

(2) Body weight calculated with standard shelving and bumper. Body options will increase body weight.

(3) See items 1 and 2.

(4) Final payload calculation subject to chassis and body options (see items 1 and 2).



Why Choose the Knapheide KUV®?

This sharp commercial vehicle blows the cargo van inside out by placing storage cabinets on the outside for easy access to the tools and materials you use on a daily basis. Here are several reasons to choose the KUV®:

STANDARD

- A)** KnapTight™ double panel rear cargo doors lock and seal into the body frame. These 20 gauge Galvalume steel doors have nitrogen gas struts, slam latches, and have 9"x30" glass windows with guards.
- B)** Two Conduit chutes to transport copper pipes, PVC, and conduit. (1 shelf per chute on 129" body, 2 shelves per chute on larger bodies)
- C)** Master Locking System for peace of mind, locks down all of the side compartments in one move. Optional KnapLock™ keyless entry system now available!
- D)** Rear vertical compartment contains 1 adjustable shelf warranted to hold up to 250 lbs.
- E)** Vertical compartment doors employ double spring-loaded, over-center retainers for elimination of involuntary swing.
- F)** Horizontal compartment contains 1 adjustable shelf warranted to hold up to 250 lbs. (passenger side only).
- G)** Automotive Door Seals for protecting your tools and parts from the elements.
- H)** Front vertical compartments contain 2 adjustable shelves warranted to hold up to 250 lbs. each.
- I)** "Pry-Proof" stainless steel hinges for security.
- J)** Stainless steel latches.
- K)** Aerodynamic wind deflector mounted on body above cab (all models except for the KUV129SUK).
- L)** Spacious cargo storage area for transporting drywall, larger tools, water heaters and oversized items.
- M)** QuietRide™ sliding cab access door with window can be locked from the cab and secured in either an open or closed position.
- N)** Two interior dome lights in cargo area with light switch inside the cargo doors.
- O)** And more (not pictured):
 - Rust protection from Knapheide's K-Coat System (complete immersion in electro-deposition prime paint).
 - All compartments can be locked independently for maximum security.
 - Aluminum fuel fill.
 - Grab handle (right rear).
 - Since 1848, The Knapheide Manufacturing Company has continued to be an industry leader, with a vast distribution network and expert staff ready to help.



KUV129SUK will fit inside an 8' tall residential garage.




Cargo area and conduit chute capacity:

- 10' in the 129" bodies
- 12' in the 153" bodies
- 14' in the 181" bodies


Options



Keyless Entry System



20" Deep Side Compartments




400 lb. Cap Crane Left Rear




Three Piece Overhead Ladder Rack




Removable Plastic Bins for Lower and/or Upper Interior Shelf




Removable Drawers Under Interior Shelf



9 Drawer Unit
(12 1/2"W x 24"H x 11 3/4"D)
Can be Combined with Interior Rack Unit



9 Drawer Cabinet Horizontal Compartment




Drawer Units for Side Compartment




18 Drawer Cabinet Horizontal Compartment




Rear Vision System




Removable Plastic Bins for Side Compartments




Interior Rack Unit
(78"L x 36"H x 12"D)




Refrigerant Tank Rack
(12 3/4"W x 34"H x 11 3/4"D)
Can be Combined with Interior Rack Unit




E-Track Installed both Sides and Left Front




Step Ladder Brackets Interior




Inside Horizontal Compartment Cutout




Power Rack
(load from side - stows on top)




Spray On Liner (Cargo Area)




Mechanics Vise Bracket



Receiver Hitch Class-V




Side Windows



Solid Bulkhead w/Window



No Glass In Rear Door



Crossover Mirror

Because Rust Never Sleeps

When you buy quality Knapheide products, rust shouldn't be a worry. To provide the best protection against rust, we installed K-Coat, our state-of-the-art, custom-designed electrocoating prime paint system. K-Coat bonds paint to steel by an electroplating process, to give you better corrosion protection than spraying. Complete immersion in K-Coat results in a prime coat that provides excellent chemical and solvent resistance. Our K-Coat system is the best electrocoat prime paint system in the industry. Because rust never sleeps. And because you should never worry about the quality of your Knapheide product.



6 Year Limited Warranty

- ▶ No rust through
 - ▶ Door hinges will not fail or come off the body
 - ▶ Latches and lock cylinders will not fail to operate
 - ▶ Shelves will not bend under max. load of 250 lb.
- Defects from workmanship and/or material not specified above are covered with a one (1) year warranty.

Quality you ask for by name

The Knapheide Manufacturing Company
1848 Westphalia Strasse • P.O. Box 7140
Quincy, Illinois 62305-7140 U.S.A.
Phone (217) 222-7131
Fax (217) 222-5939

<http://www.knapheide.com>
knapheide@knapheide.com



For more information, please contact...

